

Product Safety Data Sheet

Conforms to REGULATION (EU) No. 453/2010



Group Number	2
Version	1.4
Issue Date	May-18
Last Updated	Jan-23

NPK, NP and NK blends containing 70% to 80% Ammonium Nitrate

1.0	Identification of the substance/mixture and of the company/undertaking	
1.1	Product Identifier	
	Product/Trade name	Glasson Fertilisers 27-05-05, 27-0-10, or any other Ammonium Nitrate-based NPK, NP, NK containing 70% to 80% Ammonium Nitrate
	Common chemical name	AN based NPK, compound fertilizer, complex fertilizer, NP fertilizer, NK fertilizer
	Synonyms	Not applicable.
	Chemical formula	Main ingredient: NH_4NO_3
	EU index number	Not applicable.
	EC No	Not applicable.
	CAS No.	Not applicable.
	REACH Registration Number.	Not applicable as the fertilizer is a mixture.
	National Product Registration Number, where applicable	Not applicable.
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Use of the substance/mixture	Fertilizer
	Uses advised against	The use of this substance should be limited to those specified in this SDS.
1.3	Details of the supplier of the safety data sheet	
	Manufacturer/Importer/Supplier	Glasson Fertilisers West Quay, Glasson Dock Lancaster, LA2 0DB Tel: +44 (0) 1524 753600 fertilizers@glassongrain.co.uk
1.4	Emergency telephone number	+44 (0)1524 753600 (7:30am - 5:00pm)

2	Hazards identification	
2.1	Classification of the substance or mixture	
	Classification in accordance with Regulation 1272/2008 (CLP)	Ox. Sol 3, H272
	Hazard Statement(s)	H272 May intensify fire; oxidiser.
	Classification in accordance with Directive 67/548 (DSD)	O; R8
	Risk phrase(s)	R8 Contact with combustible material may cause fire.
2.2	Label elements	
	Hazard pictogram(s)	
	Signal word	Warning
	Hazard Statement(s)	H272 May intensify fire; oxidiser.

	Precautionary statement(s)	<p>P210 Keep away from heat, sparks, open flames & hot surfaces. — No smoking.</p> <p>P220 Keep/Store away from combustible materials & chemicals.</p> <p>P370+P378 In case of fire: Use copious quantities of water.</p> <p>P264 Wash hands thoroughly after handling.</p>
2.3	Other hazards	
	PBT/vPvB criteria	According to Annex XIII of Regulation (EC) No 1907/2006, no PBT and vPvB assessment has been conducted since ammonium nitrate is inorganic.
	Other hazards which do not result in classification	
	Physical and chemical hazards	<p>Fertilizers are basically harmless products when handled correctly.</p> <p>However, the following points should be noted for fire, heating and detonation:</p> <p>The fertilizer is not itself combustible but it can support combustion, even in the absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides, ammonia and other gases depending on composition. It has high resistance to detonation. Heating under strong confinement can lead to explosive behaviour.</p>
	Health hazards	The fertilizers are basically harmless products when handled correctly. However, prolonged or repeated contact with skin may cause discomfort, ingestion of large quantities may give rise to gastro-intestinal disorders and inhalation of dust at high concentrations may cause irritation of the nose and upper respiratory tract with symptoms such as sore throat and coughing. There are no known long term effects.
	Environmental hazards	Heavy spillage of nitrate and phosphate may cause adverse environmental impact such as eutrophication in confined surface waters or nitrate contamination. See Section 12.

3	Composition/information on ingredients						
	Mixture						
	Hazardous ingredients						
	Chemical name	CAS no.	EC no.	Generic REACH Reg No.)	Classification Regulation (EC) No. 1272/2008	Classification Directive 67/548/EEC	% (w/w)
	Ammonium Nitrate	6484-52-2	229-347-8	01-21 19490981-27-xxxx	Ox. Sol 3, H272 Eye Irrit. 2, H319	O; R8, Xi; R36	> 70% - < 80%
	Other ingredients						
	Ammonium Sulphate	7783-20-2	231-984-1	01-2119455044-46-xxxx	-	-	Variable
	Calcium Carbonate	471-34-1	207-439-9	Exempt	-	-	Variable
	Potassium Chloride	7447-40-7	231-211-8	Exempt	-	-	Variable
	Diammonium Phosphate	7783-28-0	231-987-8	01-2119490974-22-xxxx	-	-	Variable
	Magnesium Sulphate	14168-73-1	231-298-2	Exempt	-	-	Variable
	Potassium Sulphate	7778-80-5	231-915-5	01-2119489441-34-xxxx	-	-	Variable
	EC no. means EINECS or ELINCS number.						
	<i>This safety data sheet is not a guarantee of product specification or NPK value(s). NPK content is specified on sales orders, customer invoices, or product specifications.</i>						

4.0	First aid measures	
4.1	Description of first aid measures	
	General	In some cases medical attention necessary (see below).
	Inhalation	Remove from source of exposure to dusts. Obtain medical attention if ill effects occur.
	Ingestion	Do not induce vomiting. Rinse mouth and then give water or milk to drink. Obtain medical attention if more than a small quantity has been swallowed.
	Skin contact	Wash the affected area with water.

	Eye contact	Flush/irrigate eyes with copious amounts of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Obtain medical attention if symptoms persist.
4.2	Most important symptoms and effects, both acute and delayed	
	Acute effects	None known.
	Delayed effects	None known.
4.3	Indication of any immediate medical attention and special treatment needed	
	Note to physician	Inhalation of fire and thermal decomposition gases, containing oxides of nitrogen, ammonia and other toxic gases can cause irritation and corrosive effects on the respiratory system. Some lung effects may be delayed. Give oxygen, especially if there is blueness around the mouth.

5.0 Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	If fertilizer is not directly involved in the fire Use the best means available to extinguish the fire.. If fertilizer is involved in the fire Use plenty of water.
Unsuitable extinguishing media	Do not use chemical extinguishers or foams or attempt to smother the fire with steam or sand.
5.2 Special hazards arising from the substance or mixture	
Specific hazards	Potential explosion hazard under fire conditions when severely confined and/or contaminated with incompatible materials (e.g. organic materials, halogenated compounds - see Section 10). Do not allow molten fertilizers to run into drains.
Hazardous thermal decomposition and combustion products	Oxides of nitrogen, ammonia and depending on composition HCl etc.
5.3 Advice for firefighters	
Special fire fighting procedures	Open doors and windows of the store to give maximum ventilation. Avoid breathing the fumes (toxic); stand up-wind of the fire. Prevent any contamination of fertilizer by oils or other combustible materials.
Special protective equipment for fire-fighters	Use a self-contained breathing apparatus if fumes are being entered.

6.0 Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures	Avoid walking through spilled product and exposure to dust.
6.2 Environmental precautions	Take care to avoid the contamination of watercourses and drains and inform the appropriate authority in case of accidental contamination of watercourses.
6.3 Methods and material for containment and cleaning up	Any spillage of fertilizer should be cleaned up promptly, swept up and placed in a clean labelled open container for safe disposal, avoiding dusty conditions. Do not mix with sawdust and other combustible or organic substances. Dilute any contaminated or fine grained fertilizer with inert materials such as limestone/dolomite, mineral phosphate, gypsum, sand or dissolve in water.
6.4 Reference to other sections	See section 1 for emergency contact information, section 8 for personal protective equipment and section 13 for waste disposal.

7.0 Handling and storage	
The information in this section contains generic advice and guidance. The list of identified uses given in section 1 should be considered for any use-specific information provided in the Exposure Scenario(s).	
7.1 Precautions for safe handling	Avoid excessive generation of dust. Avoid contamination by combustible (e.g. diesel oil, grease, etc.) and/or other incompatible materials. Avoid unnecessary exposure to the atmosphere to prevent moisture pick-up. When handling the product over long periods use appropriate personal protective equipment, e.g. gloves. Carefully clean all equipment prior to maintenance and repair.
7.2 Conditions for safe storage, including any incompatibilities	Store in compliance with national and local regulations Locate away from the sources of heat or fire. Keep away from combustible materials and substances mentioned under Section 10. On farm, ensure that the fertilizer is not stored near hay, straw, grain, diesel oil, etc. When stored loose, take particular care to avoid mixing with other fertilizers. Ensure high standard of housekeeping in the storage area. Do not permit smoking and use of naked lights in the storage areas. Restrict stack size (according to local regulations) and keep at least 1m distance around the stacks of bagged products. Any building used for the storage should be dry and well ventilated. Where the nature of the bagged product and climatic conditions so require, store under conditions that will avoid product breakdown by thermal cycling (wide variation in temperature). The product should not be stored in direct sunlight to avoid physical breakdown due to thermal cycling. Packaging materials: Plastic synthetic materials, steel and aluminum are suitable. Avoid use of copper and zinc.
7.3 Specific end use(s)	Fertiliser.

8.0 Exposure controls/personal protection	
The information in this section contains generic advice and guidance. The list of identified uses given in section 1 should be considered for any use-specific information provided in the Exposure Scenario(s).	

8.1 Control parameters													
Regulated Exposure limit values	No specific EU official limit.												
Recommended occupational and consumer exposure limit values (following from the performed CSA):	Exposure pattern Derived No Effect Level (DNEL)												
For ammonium nitrate	<table border="0"> <tr> <td></td> <td>Workers</td> <td>General population</td> </tr> <tr> <td>Oral</td> <td>Not applicable</td> <td>12.8 mg/kg bw/day</td> </tr> <tr> <td>Dermal</td> <td>21.3 mg/kg bw/day</td> <td>12.8 mg/kg bw/day</td> </tr> <tr> <td>Inhalation</td> <td>37.6 mg/m³</td> <td>11.1 mg/m³</td> </tr> </table> <p>The long-term DNEL is considered sufficient to ensure that effects from acute exposure to the substance do not occur.</p>		Workers	General population	Oral	Not applicable	12.8 mg/kg bw/day	Dermal	21.3 mg/kg bw/day	12.8 mg/kg bw/day	Inhalation	37.6 mg/m ³	11.1 mg/m ³
	Workers	General population											
Oral	Not applicable	12.8 mg/kg bw/day											
Dermal	21.3 mg/kg bw/day	12.8 mg/kg bw/day											
Inhalation	37.6 mg/m ³	11.1 mg/m ³											
PNEC	fresh water: 0.45 mg/l marine water: 0.045 mg/l Intermittent use/release: 4.5 mg/l Sewage treatment plant: 18 mg/l												
For ammonium nitrate													
8.2 Exposure controls													
Appropriate engineering measures	Avoid high dust concentration and provide ventilation where necessary.												
Hygienic measures	When handling the product do not eat, drink or smoke. Wash hands after handling and before eating, smoking and using the lavatory and at the end of the working period.												
Individual protection													
Respiratory system	If dust concentration is high and/or ventilation is inadequate, use suitable dust mask or respirator with an appropriate filter (e.g. EN 143, 149, filters P1).												
Skin and body	Working clothes.												
Hands	Wear suitable gloves (e.g. plastic, rubber or leather) when handling the product over long periods.												
Eyes	Use appropriate safety eye wear depending on the task being carried out.												
Environmental exposure controls	Avoid the contamination of watercourses and drains and inform the appropriate authority in case of accidental contamination of watercourses. Do not flush into surface water or sanitary sewer system.												

9.0 Physical and chemical properties	
Appearance	White, grey, red, or brown granules or prills unless deliberately coloured during manufacture.
Odour	Odourless.
Odour threshold	Not applicable
pH	Usually > 4.5
Melting point/freezing point	160-170°C depending on moisture content, ammonium nitrate main component
Initial boiling point and boiling range	Decomposes.
Flash point	Not applicable, as the fertilizer is a mixture of inorganic solids
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Not applicable.
Explosive properties	The fertilizer has a high resistance to detonation. This resistance is decreased by the presence of contaminants and/or high temperatures. Heating under strong confinement (e.g. in tubes or drains) may lead to a violent reaction or explosion especially if there is contamination by some of the substances mentioned under Section 10.
Auto-ignition temperature	Ammonium nitrate based NPK/NP/NK fertilizer is not combustible.
Decomposition temperature	May start to decompose above approx. 170°C.
Minimum ignition energy	Not applicable
Oxidising properties	Oxidizer, can support combustion and may intensify fire.
Critical temperature	Not applicable
Relative density	Not applicable
Density	1725 kg/m ³ for main ingredient ammonium nitrate as solid material
Loose bulk density	Normally between 900-1200 kg/m ³ .
Vapour pressure at 20°C	Not applicable





Vapour density	Not applicable
Partition coefficient (n-octanol/water)	Not applicable.
Viscosity	Not applicable
Mean particle size	2-4mm approx.
Water solubility	Pure ammonium nitrate:1920 g/l at 20 °C Hygroscopic - readily picks up moisture from the air.
Surface tension	Not surface active (based on molecular structure)
Other information	
	Miscibility Not applicable
	Fat solubility Not available
	Gas group Not applicable
	Remarks Molecular weight 80 (For main ingredient ammonium nitrate).

10.0	Stability and reactivity	
10.1	Reactivity	Stable under recommended storage and handling conditions (see section 7, handling and storage).
10.2	Chemical stability	Stable under recommended storage and handling conditions (see section 7, handling and storage).
10.3	Possibility of hazardous reactions	When heated can decompose.
10.4	Conditions to avoid	Heating above 170°C (decomposes to gases). Contamination by incompatible materials. Unnecessary exposure to the atmosphere. Sources of heat or fire close to the product. Heating under confinement. Welding or hot work on equipment or plant which may have contained fertilizer without first washing thoroughly to remove all fertilizer.
10.5	Incompatible materials	Combustible materials, reducing agents, acids, alkalis, sulphur, chlorates, chromates, nitrites, permanganates, metallic powders and substances containing metals such as copper, nickel, cobalt, zinc and their alloys.
10.6	Hazardous decomposition products	For fire situation: see section 5. When strongly heated, it melts and decomposes releasing toxic fumes (e.g. NO _x , ammonia and other gases depending on composition) When in contact with alkaline material such as lime, may give off ammonia gas. See also Sections 2 and 9.

11.0	Toxicological information	
11.1	Information on toxicological effects	
	Toxicokinetics, metabolism and distribution	Not available
	Acute toxicity	Ingredients
	Acute oral toxicity	Ammonium nitrate LD50: 2950 mg/kg bw (OECD 401)
	Acute dermal toxicity	Ammonium nitrate LD50: > 5000 mg/kg bw (OECD 402)
	Acute inhalation toxicity	Ammonium nitrate LC50: > 88.8 mg/l (no guideline followed)
	Local effects	
	Skin irritation	Product No critical or specific hazard
	Eye irritation	Product Not classified as irritating; see section 16.
	Sensitisation	Not sensitizing (OECD 429, with magnesium nitrate, nitric acid ammonium calcium salt, sodium nitrate)
	Other	For main ingredient ammonium nitrate
	Sub-acute toxicity	Oral 28-day NOAEL ≥ 1500 mg/kg bw/day (OECD 422, with potassium nitrate) Oral 52-week NOAEL = 256 mg/kg bw/day (OECD 453, with ammonium sulfate) Inhalation 2-weeks NOAEL ≥ 185 mg/m ³ (OECD 412)
	Mutagenicity	Negative (OECD 471, 473, with nitric acid ammonium calcium salt) Negative (OECD 476, with potassium nitrate)
	Reproductive toxicity	Oral 28-day NOAEL ≥ 1500 mg/kg bw/day (OECD 422, with potassium nitrate)
	Carcinogenicity	Not carcinogenic (OECD 453, with ammonium sulfate)
	Remarks	Adverse health effects are considered unlikely when the product is handled and used correctly. If large quantities are ingested may give rise to gastro-intestinal disorders.

12.0 Ecological information		
12.1 Toxicity	Ammonium nitrate	
	Fish (short-term)	48-h LC50: 447 mg/l (no guideline followed)
	Fish (long-term)	No data
	Daphnia magna (short-term)	48-h EC50: 490 mg/l (no guideline followed, with potassium nitrate)
	Daphnia magna (long-term)	No data
	Algae	10-d EC50: > 1700 mg/l (seawater, no guideline followed, performed with potassium nitrate)
	Inhibition of microbial activity	3-h EC50: >1000 mg/l, NOEC: 180 mg/l (OECD 209, with sodium nitrate)
12.2 Persistence and degradability	Ingredient name	Ammonium Nitrate
	Biodegradation	Standard test is not applicable as the mixture is inorganic.
	Hydrolysis	No hydrolysable group is present, will completely dissociate into ions.
12.3 Bioaccumulative potential	Octanol-water partition coefficient (Kow)	Not relevant as the mixture is inorganic, but considered to be low (based on high water solubility)
	Bioconcentration factor (BCF)	Low potential for bioaccumulation (based on main ingredient properties).
12.4 Mobility in soil	Low potential for adsorption (based on main ingredient properties) Very soluble in water. The NO ₃ ⁻ ion is mobile. The NH ₄ ⁺ ion is adsorbed by soil.	
12.5 Results of PBT and vPvB assessment	According to Annex XIII of Regulation (EC) No 1907/2006, no PBT and vPvB assessment has been conducted since ammonium nitrate is inorganic.	
12.6 Other adverse effects	Heavy spillage may cause adverse environmental impact such as eutrophication in confined surface waters.	

13.0 Disposal considerations	
Container	Containers should be cleaned by appropriate method and then re-used or disposed by landfill or incineration as appropriate, in accordance with local and national regulations. Do not remove label until container is thoroughly cleaned.
Methods of disposal	Depending on degree and nature of contamination dispose of by use as fertilizer on farm, as raw material for liquid fertilizer, or to an authorised waste facility. Do not empty into drains; dispose of this material and its container in a safe way and in accordance with all applicable local and national regulations. See chapters 06 03 and 06 10 of the list of wastes (Commission decision 2000/532/EC)
Package waste disposal	Empty the bag by shaking to remove as much as possible of its contents. If approved by local authorities, empty bags may be disposed of as non-hazardous material or returned for recycling.
<i>Note: see section 7 for safe handling and storage</i>	

14.0 Transport information					
	ADR/RID	ADN/ADNR	IMDG	ICAO/IATA	
14.1 UN Number	UN2067	UN2067	UN2067	UN2067	
14.2 UN Proper shipping name	Ammonium nitrate based fertilizer	Ammonium nitrate based fertilizer	Ammonium nitrate based fertilizer	Ammonium nitrate based fertilizer	
14.3 Transport hazard class(es)	5.1	5.1	5.1	5.1	
14.4 Packing group	III	III	III	III	
Label					
14.5 Environmental hazards	Not applicable.				
14.6 Special precautions for user	None.				
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.				

15.0 Regulatory information	
15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture	EC 2003/2003, 96/82 EC; <i>Seveso Directive</i> .
Other regulations	Regulation EC 1907/2006 (REACH), EC 2003/2003, 96/82 EC. Decision No 1348/2008/EC of the European Parliament & of the Council and Commission Regulation (EC) No 552/2009.
15.2 Chemical safety assessment	In accordance with REACH Article 14, a Chemical Safety Assessment has been carried out for the main ingredient Ammonium Nitrate as a substance.

16.0 Other information	
The information provided in this safety data sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any proceed, unless specified in the text.	
Classification in accordance with Regulation 1272/2008, as listed in Annex VI:	None.
Classification in accordance with Regulation 1272/2008, by self-classification based on the performed CSA	Ox. Sol 3, H272 No eye irritation (tested on mixtures with similar compositions according to OECD 437 and OECD 405)
Risk phrases	R8 Contact with combustible material may cause fire. R36 Irritating to eye.
Symbols	O oxidizing Xi irritant

Abbreviations and acronyms	Oxidizing solids category 3 (Ox. Sol 3) Eye irritation Category 2 (Eye Irrit. 2) Causes serious eye irritation (H319) May intensify fire; oxidisor (H272)
Training advice	
Date of previous SDS	September 2014
Modifications in this version	None.
References	EFMA/Fertilizers Europe Guidance documents, TFI HPV data; NOTOX gap analysis

Disclaimer

The information in this Safety Data Sheet is given in good faith and belief in its accuracy based on our knowledge of the substance/preparation concerned at the date of publication. It does not imply the acceptance of any legal liability or responsibility whatsoever by Glasson Fertilizers for the consequences of its use or misuse in any particular circumstances.

Glasson Fertilisers
West Quay, Glasson Dock
Lancaster
LA2 0DB

